














Dati Tecnici - Specifications

	 cond	 comp. W	 ABS. W	 Fuse	 Kwh/100Kg	 l / h	 kg	 Lbs	 kg	 Lbs	 Ton CO2 equiv.
CS40 A		1144	590	10	39.4	2.73	39	86	48	106	0,33
CS40 W		1144	540	10	28.4	34.82	39	86	48	106	0,30



Produzione Ghiaccio - Ice Production

Raffreddamento ad aria - Air Cooled Unit






Temp. Aria Air Temp.	Temp. Acqua / Water Temp.			
°C	32°	21°	15°	10°
°F	90°	70°	60°	50°
10°	32	37	40	41
50°	71	82	88	90
21°	27	32	35	37
70°	60	71	77	82
32°	21	26	28	30
90°	46	57	62	66
38°	18	23	25	27
100°	40	51	55	60

Raffreddamento ad acqua - Water Cooled Unit

Temp. Aria Air Temp.	Temp. Acqua / Water Temp.			
°C	32°	21°	15°	10°
°F	90°	70°	60°	50°
10°	31	36	39	40
50°	68	79	86	88
21°	27	33	36	38
70°	60	73	79	84
32°	25	31	34	36
90°	55	68	75	79
38°	22	29	31	33
100°	49	64	68	73

Vista frontale
Front view

Vista laterale
Lateral view



Vista posteriore
Rear view

Kit 4 Feet Optional
 Kit 4 piedini Optional
 Ø50mm H100-120 mm

- A** Electrical cable supply / Ingresso alimentazione elettrica
- B** Water outlet connection / Attacco scarico acqua diam. 20 mm

- C** Water inlet connection / Attacco entrata acqua - 3/4" gas
- D** Water outlet connection water condensation / Uscita acqua condensatore ad acqua diam. 20 mm



PANNELLO DI CONTROLLO - CONTROL PANEL



Interruttore On/Off
Switch On/Off



Size ice regulation screw
Vite regolazione dimensione ghiaccio

CAPACITA' DEPOSITO - BIN CAPACITY


15 Kg - 33 lbs 750 pcs

DIMENSIONI - DIMENSIONS

LxPxH (mm)

 500 x 540 x 690
 560 x 600 x 850

TIPO GHIACCIO - ICE TYPE



20g
WEIGHT ICE
PESO GHIACCIO



28
PCS / CYCLE
PZ/CICLO





CONDIZIONI USO-OPERATING REQUIREMENTS



220-240/50/1



R134a GWP = 1430

MIN		MAX
10°C (50°F)		40°C (104°F)
5°C (41°F)		35°C (95°F)
- 10 %		+ 10 %
1 Bar (14 psi)		5 Bar (70 psi)